


INSTRUÇÃO APP PARA

Luminária LED

HORIZON AQUA READY


## Faça download do nosso APP



ZETLIGHT E O logótipo ZETLIGH LO são marcas comerciais da Zetlight Holdings Company. Google play é uma marca comercial do Google inc. APPLE e o logótipo APPLE são marcas comerciais da Apple Inc, registadas nos EUA e outros países. App Store é uma marca de serviço da Apple Inc. Componentes são feitos na China. Fabricado pela ZETLIGHT HOLDINGS COMPANY. 511442, GUAZHOU CHINA.

## Conecte a luz no AP modo

Primeiro você precisa configurar a conexão entre seu dispositivo móvel e a luminária (ZT 660C). Você não precisa ter uma rede wifi do roteador ainda



01

02



Vá em configuração > Wifi em seu Smartfone ou tablet. Escolha Zetlight (Luminária Modelo ZT6600C)



Digite a senha: 00000000 (oito zeros) e clique "on join". Após conectado inicie o "APP Horizon Aqua"

## Configuração de data e hora



Clique LED



Clique para modificar






Select to set controller time



Slide digits up or down to set year, month, day. Slide digits up or down to set hour, minute. Select "OK" to confirm.

### Set time duration



Time control Modify  
Click on Modify   
Then click on Time Control 




Slide digits up or down to set "Start" time. Slide digits up or down to set "End" time. Select "OK" to confirm

03

### 5 time periods of brightness



New time is set.



Dawn




Sunrise



Daytime

04

## LED Settings



Sunset

Evening

## LED Settings - Channel Slider



Channel Slider

Click on Modify

Move the Slider of each channel to change the brightness and colour.

Save

Click on Save to save the new setting.

05

## Turn lighting On/Off




Lighting On/Off

Lighting is On.

Lighting On/Off

Lighting is Off.

## Lightning Mode



Lightning Mode

Click on Lightning Mode to enter the settings.

Enter duration between 1-99 minutes. Enter frequency between level 1-8. Select OK to confirm.

Lightning Mode is On.

Lightning Mode is Off.

06

## Cloudy Mode



Cloudy Mode  
Click on Cloudy Mode  
to enter the settings.



Enter duration between 1-99  
minutes. Enter frequency  
between level 1-12. Select  
OK to confirm.  
Cloudy Mode is On.  
Cloudy Mode is Off.



## Demo Mode



Lightning Cloudy

Lightning Mode is Off.



Cloudy Mode is Off.



Click on Menu



Select Demo



Lighting is working in  
Demo Mode: fast forward  
(10min/sec) showing the  
lighting during the 24  
hours. Click on Exit to quit  
Demo.

## Sleep Mode



Click on Menu



Select Sleep






Auto Cloudy randomly runs cloudy light conditions from Dawn to Sunset. Lunar Phase random position of the moon in the evening period. (Moon Light option is not applicable).



Acclimation offers a 10-day period for new inhabitants to get acclimated to the environment. Auto Cloudy and Lunar Phase are disabled during Acclimation.

## Connecting the light in STA Mode

After your connection in AP Mode, it's better to connect in STA Mode. This way you won't have to switch your WiFi settings everytime you want to control the light (eg. ZT6600 C).




## Light settings sharing through QR code





Click on menu 



Select the name of your home router.



Click on QR 




Generate a QR code of your setting include each time duration, brightness and colour.



Enter Password and select OK. Wait a short moment and return to the opening screen of the App.



Go to Settings > WiFi on your smartphone and select your WiFi router. 



Save your QR code  
Now you can recode your setting by QR code and share with your friends.



Click on QR 

## Load the settings through QR code scan



Zoom Out




Zoom in



QR code light setting preview interface. Slide left or right to check light effects for different time periods.

### Load the settings through QR code by accessing mobile phone album



Click on QR



Click photo button to go to the album on your smartphone.



Select QR code



Select

Choose

### Restore to default settings



QR code light setting preview interface. Slide left or right to check light effects for different time periods.



click

Reset





Select Reset to restore to default settings. Click "OK" if you want to return to default settings. You will have to connect in AP Mode again!

## **GARANTIA**

Querido usuário:

Para ficar familiarizado com o produto e aproveitar nosso pós-vendas, por favor, leia atentamente as instruções do produto, e guarde este cartão.

Garantia do produto:

Este cartão de garantia é sua única garantia, que deve ter o selo do vendedor. Nossos clientes tem uma garantia de 12 meses após a compra do produto (Valendo a partir da data de compra).

Garantia não será válida:

- 1) Se o comprador não tiver uma prova ou documento de venda, ou se o mesmo não ser do produto.
- 2) Produto danificado, mal-uso, aberto, ou com aparência alterada.
- 3) Dano por montagem mal feita, ou por não ter seguido o manual de instalação.
- 4) Desgaste normal de peças.
- 5) Danificado por desastre natural ou outra força maior, como terremoto, fogo, tufão, trovão e assim por diante.

Não nos responsabilizamos por equipamentos de terceiros, tanques ou móveis de outras empresas. A garantia é gratuita. Cobramos o serviço quando o cartão de garantia passa a sua última data de vigência ou o serviço não é coberto pela garantia.

Modelo do produto: \_\_\_\_\_

Numero de série: \_\_\_\_\_

Cliente: \_\_\_\_\_

Telefone: \_\_\_\_\_

Endereço: \_\_\_\_\_

Vendedor: \_\_\_\_\_

Data da compra: \_\_\_\_\_